STIEBEL ELTRON

100YRS
OF INNOVATION

SCALE YOUR HEATING CAPACITY UP TO 600L

with an additional heat pump or a booster tank.

Endless warmth, perfectly scaled to your needs.
Discover heating solutions that deliver more
comfort with less investment.






600L Combo

WWK 303 Electronic + 300L Booster Tank

Model	WWK 303 Electronic	Booster Tank Specification
Nominal Capacity (Litre)	300L	300L
Max. DHW Temperature (in °C)	up to 65°C	up to 60°C
Power Consumption (in kW) - In Heat Pump Mode;	0.5 kW	–
Power Consumption, emergency/booster heater	3.15 kW	–
Total Input Power	3.65 kW	3 kW
Approx. Heating Ouput *	up to 2.2 kW (Heat Pump Mode)*	up to 3 kW
Power Supply; MCB Protection (in Amp.);Wiring Size	1/N/PE - (220-240 V); 20 A; 2.5 sq. mm.	1/N/PE - (220-240 V); 20 A; 2.5 sq. mm.
Dimension in mm (Height/Diameter)	1905/690	1427/650
Insulation Thickness	70 mm	50 mm
Connection (Inlet and Outlet)	G 1"	G 1"
Operating Pressure (in Bar)	up to 8 Bar	up to 8 Bar

Technical Drawing



Warranty: 1 year comprehensive, 5 years on tank, 5 years on compressor.

Please note: Standard accessories are not part of the package.




520L Combo

WWK 303 Electronic + WWK 223 Electronic

Model	WWK 303 Electronic	WWK 223 Electronic
Nominal Capacity (Litre)	300L	220L
Max. DHW Temperature (in °C)	up to 65°C	up to 65°C
Power Consumption (in kW) - In Heat Pump Mode;	0.5 kW	0.5 kW
Power Consumption, emergency/booster heater	3.15 kW	3.15 kW
Total Input Power	3.65 kW	3.65 kW
Approx. Heating Ouput *	up to 2.2 kW (Heat Pump Mode)*	up to 2.2 kW (Heat Pump Mode)*
Power Supply; MCB Protection (in Amp.);Wiring Size	1/N/PE - (220-240 V); 20 A; 2.5 sq. mm.	1/N/PE - (220-240 V); 20 A; 2.5 sq. mm.
Dimension in mm (Height/Diameter)	1905/690	1501/690
Insulation Thickness	70 mm	70 mm
Connection (Inlet and Outlet)	G 1"	G 1"
Operating Pressure (in Bar)	up to 8 Bar	up to 8 Bar

Technical Drawing



Warranty: 1 year comprehensive, 5 years on tank, 5 years on compressor.

Please note: Standard accessories are not part of the package.



Our standard WWK 303 Electronic heat pump provides 300 litres of hot water at 65°C. Need more? Add a WWK 223 Electronic Heat Pump or a booster tank to expand the capacity up to 600 litres, without a big increase in cost or electricity bills.

Comfort through Technology

Why choose the Heat Pump Combo?

High Quality Booster Tank

Standardized 300-litre tank ensures consistent hot water supply with optimal performance.

Cost-Effective

Lower upfront investment with a fast payback period.

Energy-Efficient

Designed for high performance with low energy usage, it reduces direct heat loss by keeping return lines only in the hot water tank.

High Capacity

Delivers large water volume and discharge capacity.

Hassle-free Solution

Easy to install and simple to use.

STIEBEL ELTRON India Pvt. Ltd.

Ground Floor, Lunkad Sky Cruise, B - Wing, Survey No.210/3, Viman Nagar, Pune 411014, Maharashtra, India.

Sales

Telephone: +91 20 67480909
Sales Hotline: +91 20 67480917
Email:info@stiebel-eltron.in
sales@stiebel-eltron.in
Website:www.stiebel-eltron.in

Service

Toll Free: 18002667155
WhatsApp: +91 92265 47400
Email:service@stiebel-eltron.in